

2/23

FIG. 2(a)




FIG. 2(b)




FIG. 3(a)





FIG. 3(b)





3/23


FIG. 4(a)

34			36	38	40
C/I (dB)	DROPPED HEADERS WITHOUT ERROR DETECTION	DROPPED HEADERS WITH ERROR DETECTION	IMPROVEMENT (%)		
6	1429	1281	10.36		
7	1028	884	14.01		
8	700	591	15.57		
9	454	401	11.67		
10	278	243	12.59		
11	180	140	22.22		
12	101	87	13.86		
13	59	47	20.34		


FIG. 4(b)

34			36	38	40
C/I (dB)	DROPPED HEADERS WITHOUT ERROR DETECTION	DROPPED HEADERS WITH ERROR DETECTION	IMPROVEMENT (%)		
6	1453	1258	13.42		
7	1087	930	14.44		
8	715	608	14.96		
9	498	402	19.27		
10	285	230	19.29		
11	199	157	21.10		
12	98	74	24.49		
13	49	39	20.41		


4/23
FIG. 5




6/23





7/23





9/23





11/23




FIG. 13(a)




FIG. 13(b)




FIG. 13(c)

12/23

FIG. 14(a)




FIG. 14(b)






FIG. 14(c)





14/23

800

801

802

804

805

TF1

TF2

TF3

TF4

TF5

TF6

TF7

TF8


0.577 MSEC

4.615 MSEC

37MSEC


15/23

FIG. 15(d)




16/23


FIG.16



17/23

FIG.17








FIG. 19(a)




FIG. 19(b)




FIG. 19(c)

FIG. 20(a)




FIG. 20(b)








FIG. 20(c)





21/23

22/23

FIG. 23(a)




FIG. 23(b)





FIG. 23(c)



23/23

FIG. 25

